



BRAVIA

4K Professional Displays

Bring the spectacular depth and quality of BRAVIA to your business with the latest range of ultra-slim and energy efficient Professional Displays from HD to 4K HDR OLED all the way up to 8K HDR picture quality. Available from 32" to 100" our line-up offers all the technological performance and style you'd expect from BRAVIA.

Our range of Sony Professional Displays features HD, 4K and 8K resolution models with screen sizes to suit every application. Ideal for digital signage, screen mirroring and a range of professional solutions, our displays feature a range of innovative LCD, HDR and OLED display technologies for superior image quality with easy operation, extensive integration options and low ownership costs.

Highlights

- Brilliant 4K image quality with powerful 4K X1 processor / new XR Cognitive Processor.*
- Embedded HTML5 platform for easy digital signage.*
- Copy custom settings to multiple screens via USB memory.
- Slim, stylish and installation friendly with versatile control options.
- Touchscreen options.*
- 24/7 operation* and reliable high-brightness panel.*
- Compatible* with TEOS Workplace Solutions.

*Model dependent

 PrimeSupport
Pro

See page 5 for
further details

 PrimeSupport
Elite

See page 5 for
further details



Do more with BRAVIA built-in solutions

Bring the incredible depth and quality of 4K resolution to your business or university

Built-in Meeting-Room solution

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There's no need for extra controllers in the room and settings stay exactly as they have been programmed.

Built-in mirroring (Connect for TEOS)*

Great for collaborative working, Connect for TEOS allows smooth, speedy wireless screen mirroring from laptops, directly to BRAVIA 4K Professional Displays. It's available as an easy-to-install app, with no extra hardware needed.

Built in TEOS Workplace Management Solutions*

Sony BRAVIA 4K Professional Displays are fully compatible with Manage for TEOS. Intelligent workspaces can now have complete control of all of their connected devices and content in boardrooms, meeting rooms, offices, public areas and other locations. Plus, there's no player required.

Built-in Android Applications Store

Endless possibilities to display what you need, without external devices, through dedicated applications.

Built-in Digital Signage Platform* (TDM Digital Signage)

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.

The total touchscreen solution

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points or more for greater interaction.

Looks great in every light

The screen overlay's tough anti-glare surface ensures optimum visibility, even in the sunniest environments.

Quick and easy to install and set up

Simple, fuss-free installation and set up allows deployment of your interactive touchscreen solution in minutes.

*Chargeable option, compatible with BZ series only.



BRAVIA 4K Professional Displays

Coffee House

COFFEE
 AMERICANO
 MOCHA
 CAPPUCCINO
 MACCHIATO
 ESPRESSO

DESSERTS
 DOUGHNUT
 CHEESECAKE

MINI BITES
 CROISSANT
 SANDWICH
 FRENCH TOAST

HOT DRINKS
 HOT CHOCOLATE
 WHITE CHOCOLATE
 VANILLA TEA
 GREEN TEA

ALL YOU NEED IS LOVE & A CUP OF COFFEE

Coffee is always a good idea

Coffee House

COFFEE
 AMERICANO
 MOCHA
 CAPPUCCINO
 MACCHIATO
 ESPRESSO

DESSERTS
 DOUGHNUT
 CHEESECAKE

MINI BITES
 CROISSANT
 SANDWICH
 FRENCH TOAST

HOT DRINKS
 HOT CHOCOLATE
 WHITE CHOCOLATE
 VANILLA TEA
 GREEN TEA

ALL YOU NEED IS LOVE & A CUP OF COFFEE

Coffee is always a good idea

BRAVIA TV Tuner Models



Our latest range of BRAVIA features a built in TV Tuner ideal for public places such as reception areas, waiting rooms and communal spaces. Comprised of 21 displays ranging from 2K to 8K, this range promises to take content display to the next level and deliver high impact imagery.

Powered with the powerful X1 Processor, and the new XR cognitive processor (on A80, A90J, X95J and Z9J models), the new BRAVIA series display an outstanding image.

TV Tuner models (except X80H/X81H/WF6 and A9 series) are not compatible with TEOS, TDM and do not have Pro mode.

W800/WF6



Do more with Android TV (W800 only)

Our first 32" with Android. Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.



Installation friendly

The slim, stylish display offers a wide range of mounting options, is VESA compliant and integrates colour neatly into any corporate, retail or educational environment.



The total touchscreen*

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points or more for greater interaction. Contact your local Sony dealer for more information.



Compatible with High Dynamic Range (HDR) (W800 only)

View a wider range of brightness levels with HDR, the emerging video format that allows content creators to expand their range of creativity.



Ultimate Picture Quality More colour with TRILUMINOS Display (WF6 only)

TRILUMINOS Display maps colours from a wider palette, faithfully reproducing a world of richer, more lifelike hues and tones.



PrimeSupport
Pro

See page 5 for
further details



PrimeSupport
Elite

See page 5 for
further details

Warranty

See page 5 for further details

Reference

W800/WF6/X81H/X80J/A80J/A90J/A9/X95J/Z19

Duration

3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible

For full product specifications and features please visit
pro.sony/professional-displays

* Optional

X80J

**Improve content quality with Reality Creation**

This high picture quality engine takes Full HD content much, much closer to 4K Ultra HD quality. Whether it's a presentation to clients or engaging digital signage, you'll get the best picture possible.

**Pictures and sound in perfect harmony**

With the Bass Reflect Speaker X-Balanced Speaker, action and sound are precisely aligned for even more immersive viewing.

**Automatic on/off feature**

Easily programme your BRAVIA with the On-Timer feature to automatically turn the flat panel on /off.

**Do more with Android TV**

Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.

X80H/X81H

**Professional Mode**

There is now more control to disable input or remote control, remove labels and block buttons; customise and store display settings and features add security then copy them easily from display to display via USB flash memory.

**Easily create digital signage**

Produce compelling digital signage with no prior training needed. Combine graphics, text, video and live web content to create attractive signage in minutes.

A90J/A80J

**Sound from the screen**

With Acoustic Surface Audio+™, sound comes directly from the screen. Three actuators behind the TV vibrate to create acoustics that move with the picture. Two side-facing subwoofers deliver rich, spatial bass.

**Spectacularly lifelike 4K images**

Our new powerful Cognitive Processor XR reproduces exceptionally realistic images, with great contrast, clarity and colors.

X95J

**Spectacularly lifelike 4K images**

Our new powerful Cognitive Processor XR reproduces exceptionally realistic images, with great contrast, clarity and colors.

**Deeper black and brighter bright**

Thanks to the full-array LED backlight, intensity of the LEDs can be adjusted depending on the scene, see light where light is needed, dark where darkness is needed for a much more dynamic, cinematic picture.

**Vibrant shades of color from any viewing angle**

See vivid real world colors, even from the sides. Our X-Wide Angle technology allows the faithful shades and hues of TRILUMINOS Pro Display to be enjoyed from any angle.

Z9J

**Spectacularly lifelike 8K HDR images**

8K offers 16 times the detail of Full HD, with an extraordinary resolution of over 33 million pixels bringing extra clarity to corporate display, education and digital signage applications.

**XR Sound Position**

With a vibrating frame tweeter on this BRAVIA XR 8K TV, sound matches precisely with what's on the screen for a truly immersive experience.



Specifications		FWD-75Z9J	FWD-85Z9J
Display features	Screen Size (inch, measured diagonally)	75"(74.5")	85"(84.6")
	Display resolution (H x V, pixels)	7680 x 4320	
	Dimming type	Local Dimming	
	Display device	LCD	LCD
	Backlight type	Direct (Full Array LED)	
Professional features	Aspect Ratio	16:9	
	Processor	Cognitive Processor XR	
	Operating System	Android 10	
	On-board Storage (GB)	16GB	
Display System	TV System (Digital Terrestrial)	DVB-T/T2	
	TV System (Digital Cable)	DVB-C	
	TV System (Digital Sat)	DVB-S/S2	
	Number of Tuners (Terrestrial/Cable)	2(Digital) / 1(Analog)	
	Number of Tuners (Sat)	2	
Network Features	Wi-Fi Direct	Yes	
	Wi-Fi Certified	Yes	
	Apple AirPlay	Yes	
	Chromecast built-in	Yes	
	Internet Browser	Vewd	
	Codec for Home Network	MPEG1-MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2_AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VCI/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4_AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG	
	Wireless LAN	Integrated	
Convenience features	HDMI-CEC	Yes	
	i-Manual	Yes	
	On Screen Clock	Yes	
	Sleep Timer	Yes	
	On/Off Timer	Yes	
Control specs	IP Control	Yes (requires authentication)	
	Pro mode	-	
Inputs & Outputs	HDMI Signal	7680x4320p(24,25,30,50,60Hz)*1, 4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz)*2, 1080p(30,50,60,100,120Hz), 1080i/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720i/24p, 576p, 480p	
	HDCP	HDCP2.3 (for HDMI1/2/3/4)	
	RF (Terrestrial/Cable) Connection Input(s)	1(Bottom)	
	IF (Satellite) Input(s)	2(Bottom)	
	Composite Video Input(s)	Hybrid w/S-Center Speaker Input x1(Side, Mini jack)	
	HDMI inputs total	4(1Side, 3Bottom)	
	USB ports	2(Side) / 1(Bottom)	
	Ethernet inputs	1(Bottom)	
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits)	
PCMCIA Slot(s)	1(Side)		
Audio specifications	Speaker Position	Front + Side + TOP	
	Audio Power Output	12.5W + 12.5W + 20W + 20W + 5W + 5W + 5W	
Video Specifications	Wide Mode	Wide zoom/Normal/Full/Zoom/14:9	
	4:3 Default	Yes	
	Video Processing	XR 8K Upscaling	
	4K Processor	Cognitive Processor XR	
HDR (High Dynamic Range) compatibility	Yes (HDR10,HLG,Dolby Vision)		
Design Features	Cable Management	Yes	
	Frame color	Titanium Silver	
	Stand Design	Aluminum Edge Stand	
	VESA® Hole Spacing Compatible	Yes	
	VESA® Hole Pitch(W x H)	40.0 x 40.0 cm	
Eco & energy saving	Power Consumption (in Standby)	0.50W	
	Mercury content(mg)	0.0	
	Power Saving Mode / Back Light Off Mode	Yes	
Dimensions	Display only (W x H x D)	Approx. 168.1 x 98.2 x 8.1 cm	Approx. 190.7 x 111.2 x 8.1 cm
	Display with Stand (W x H x D)	Approx. 171.1 x 99.3 x 42.8 cm	Approx. 193.7 x 112.3 x 48.4 cm
Weights (Approx.)	Display only	Approx. 46.4 kg	Approx. 61.7 kg
	Display with Stand	Approx. 48 kg	Approx. 63.4 kg
	Package Carton(Gross)	Approx. 63 kg	Approx. 63.4 kg
Optional accessories	Wallmount Bracket	SU-WL450(Usage limitation)	
Service and Warranty	Standard Warranty	3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible	
	2 years PrimeSupport extension reference	PSP.FWD75Z9J.2X	PSP.FWD85Z9J.2X

Specifications		FWD-55A80J	FWD-65A80J	FWD-77A80J	FWD-48A9/T1	FWD-55A90J	FWD-65A90J	FWD-83A90J
Display features	Screen size (measured diagonally)	55"(54.6")	65"(64.5")	77"(76.7")	48"(47.5")	55"(54.6")	65"(64.5")	83"(82.5")
	Display resolution (H x V, pixels)	3840 x 2160						
	Display device	OLED						
	Aspect Ratio	16:9						
Professional features	Operating System	Android 10						
	On-board Storage (GB)	16GB						
Display System	TV System (Digital Terrestrial)	DVB-T/T2						
	TV System (Digital Cable)	DVB-C						
	TV System (Digital Sat)	DVB-S/S2						
	Number of Tuners (Terrestrial/Cable)	2(Digital) / 1(Analog)						
	Number of Tuners (Sat)	2						
Network Features	Wi-Fi Direct	Yes						
	Wi-Fi Certified	Yes						
	Apple AirPlay	Yes						
	Chromecast built-in	Yes						
	Internet Browser	Vewd						
	Codec for Home Network	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG						
	Wireless LAN	Integrated						
Convenience features	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG						
	i-Manual	Yes						
	On Screen Clock	Yes						
	Sleep Timer	Yes						
	On/Off Timer	Yes						
	Display Language	AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUI,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ,KAN,KOR,KIR,LAO,LIT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE,SWA,TAM,TEL,THA,TGL,TUR,UKR,URD,UZB,VIE,zh_CN,zh_HK,zh_TW,ZUL						
	IP Control	Yes (requires authentication)						
Inputs & Outputs	Pro mode	-	-	-	Yes	-	-	-
	HDMI Signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz), 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p						
	HDCP	HDCP2.3(for HDMI1/2/3/4)						
	RF (Terrestrial/Cable) Connection Input(s)	1(Bottom)						
	IF (Satellite) Input(s)	2(Bottom)						
	Composite Video Input(s)	Hybrid w/S-Center Speaker Input x1(Side, Mini jack)						
	HDMI inputs total	4(Side, 3Bottom)						
	USB ports	2(Side) / 1(Bottom)						
	Ethernet inputs	1(Bottom)						
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits)						
	PCMCIA Slot(s)	1(Side)						
Audio specifications	Speaker Position	Front						
	Audio Power Output	10W + 10W + 10W		20W + 20W + 10W		10W + 10W + 5W		20W + 20W + 10W + 10W
Video Specification	Wide Mode	Wide zoom / Normal / Full / Zoom / 14:9						
	4:3 Default	Yes						
	Video Processing	XR 4K Upscaling			4K X-Reality PRO		XR 4K Upscaling	
	4K Processor	Cognitive Processor XR			Picture Processor X1 Ultimate		Cognitive Processor XR	
	HDR (High Dynamic Range) compatibility	Yes (HDR10, HLG, Dolby Vision)						
Design Features	Cable Management	-			Yes			
	Frame color	Titanium Black			Black		Titanium Black	
	Stand Design	Aluminum Layer stand			Aluminum Central Stand		Aluminum Edge Stand	
	VESA® Hole Spacing Compatible	Yes						
	VESA® Hole Pitch (W x H)	30.0 x 30.0 cm			30.0 x 30.0 cm		30.0 x 30.0 cm	
Eco & energy saving	Power Consumption (in Standby)	0.50W						
	Mercury content (mg)	0.0						
	Power Saving Mode / Back Light Off Mode	Yes						
Dimensions	Display only (W x H x D)	Approx. 122.7 x 71.2 x 5.3 (0.59) cm	Approx. 144.8 x 83.6 x 5.3 (0.63) cm	Approx. 172.2 x 99.9 x 5.4 (0.69) cm	Approx. 106.9 x 62.4 x 5.8 (0.42) cm	Approx. 122.3 x 70.9 x 4.1(0.56) cm	Approx. 144.4 x 83.3 x 4.1(0.56) cm	Approx. 185.0 x 106.7 x 5.3 (0.73) cm
	Display with Stand (W x H x D)	Approx. 122.7 x 73.5 x 33.0 cm	Approx. 144.8 x 85.9 x 33.0 cm	Approx. 172.2 x 102.2 x 36.7 cm	Approx. 106.9 x 62.9 x 25.5 cm	Approx. 128.2 x 70.9 x 31.7 cm	Approx. 150.2 x 83.4 x 31.7 cm	Approx. 188.0 x 107.2 x 42.8 cm
Weights (Approx.)	Display only	Approx. 17.8 kg	Approx. 22.3 kg	Approx. 28.9 kg	Approx. 13.9 kg	Approx. 18.6 kg	Approx. 22.5 kg	Approx. 42 kg
	Display with Stand	Approx. 19 kg	Approx. 23.5 kg	Approx. 30.1 kg	Approx. 17.6 kg	Approx. 20.3 kg	Approx. 24.6 kg	Approx. 43.5 kg
	Package Carton (Gross)	Approx. 25 kg	Approx. 31 kg	Approx. 40 kg	Approx. 22 kg	Approx. 29 kg	Approx. 34 kg	Approx. 59 kg
Optional accessories	Wallmount Bracket	SU-WL450 (Terminal access limitation, refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart)						
Service and Warranty	Standard Warranty	3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible						
	2 years PrimeSupport extension reference	PSP.FWD55A80J.2X	PSP.FWD65A80J.2X	PSP.FWD77A80J.2X	PSP.FDWA948.2X	PSP.FWD55A90J.2X	PSP.FWD65A90J.2X	PSP.FWD83A90J.2X



Specifications		FWD-65X95J	FWD-75X95J	FWD-85X95J
Display features	Screen Size (inch, measured diagonally)	65"(64.5")	75"(74.5")	85"(84.6")
	Brightness (cd/m ²)	660	770	660
	Native contrast ratio	4000:1	3700:1	4000:1
	Dynamic contrast ratio	600000:1	700000:1	600000:1
	Display resolution (H x V, pixels)	3840 x 2160		
	Dimming type	Local Dimming		
	Display device	LCD		
	Backlight type	Direct (Full Array LED)		
	Aspect Ratio	16:9		
Professional features	Operating System	Android 10		
	On-board Storage (GB)	16GB		
Display System	TV System (Digital Terrestrial)	DVB-T/T2		
	TV System (Digital Cable)	DVB-C		
	TV System (Digital Sat)	DVB-S/S2		
	Number of Tuners (Terrestrial/Cable)	2(Digital)/1(Analog)		
	Number of Tuners (Sat)	2		
Network Features	Wi-Fi Direct	Yes		
	Wi-Fi Certified	Yes		
	Codec for Home Network	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2_AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4_AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/IPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)		
	Wireless LAN	Integrated		
Convenience features	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2_AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8.HEVC/WEBM:VP8/3GPP:MPEG4_AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/IPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)		
	HDMI-CEC	Yes		
	i-Manual	Yes		
	On Screen Clock	Yes		
	Sleep Timer	Yes		
	On/Off Timer	Yes		
Control specs	IP Control	Yes (requires authentication)		
	Pro mode	-	-	-
Inputs & Outputs	HDMI Signal	4096x2160p(24.50,60Hz), 3840x2160p(24,25,30,50,60,100,120Hz) *3 , 1080p(30,50,60,100,120Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p		
	HDCP	HDCP2.3(for HDMI1/2/3/4)		
	RF (Terrestrial/Cable) Connection Input(s)	1(Bottom)		
	IF (Satellite) Input(s)	2(Bottom)		
	Composite Video Input(s)	Hybrid w/S-Center Speaker Input x1(Side, Mini jack)		
	HDMI inputs total	4(1Side,3Bottom)		
	USB ports	2(Side)/1(Bottom)		
	Ethernet inputs	1(Bottom)		
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits)		
PCMCIA Slot(s)	1(Side)			
Audio specifications	Speaker Position	Front + Side Back		
	Audio Power Output	10W + 10W + 10W + 10W + 10W		
Video Specifications	Wide Mode	Wide zoom/Normal/Full/Zoom/14:9,Normal/Full1/Full2 for PC		
	4:3 Default	Yes		
	Video Processing	XR 4K Upscaling		
	4K Processor	Cognitive Processor XR		
HDR (High Dynamic Range) compatibility	Yes(HDR10,HLG,Dolby Vision)			
Design Features	Cable Management	Yes		
	Frame color	Titanium Silver		
	Stand Design	Metal Edge Stand		
	VESA® Hole Spacing Compatible	Yes		
	VESA® Hole Pitch(W x H)	30.0 x 30.0 cm	40.0 x 40.0 cm	
Eco & energy saving	Power Consumption (in Standby)	0.50W		
	Mercury content(mg)	0.0		
	Power Saving Mode / Back Light Off Mode	Yes		
Dimensions	Display only (W x H x D)	Approx. 144.3 x 83.5 x 6.6 (3.86) cm	Approx. 166.7 x 96.1 x 6.1 (3.32) cm	Approx. 188.8 x 108.6 x 6.1 (3.36) cm
	Display with Stand (W x H x D)	Approx. 144.3 x 84.8 x 33.8 cm	Approx. 166.7 x 97.4 x 39.0 cm	Approx. 188.8 x 109.8 x 45.0 cm
	Display only	Approx. 27.5 kg	Approx. 36.8 kg	Approx. 48.7 kg
Weights (Approx.)	Display with Stand	Approx. 28.5 kg	Approx. 39.1 kg	Approx. 51.2 kg
	Package Carton (Gross)	Approx. 38 kg	Approx. 53 kg	Approx. 67 kg
	Optional accessories	SU-WL450(Terminal access limitation, refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart)		
Service and Warranty	Standard Warranty	3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible		
	2 years PrimeSupprt extension reference	PSP.FWD65X95J.2X	PSP.FWD75X95J.2X	PSP.FWD85X95J.2X



Specifications		FWD-43X80J	FWD-50X80J	FWD-55X80J	FWD-65X80J	FWD-75X81J	FWD-85X85J
Display features	Screen Size (inch, measured diagonally)	43"(42.5")	50"(49.5")	55"(54.6")	65"(64.5")	75"(74.5")	85"(84.6")
	Brightness (cd/m ²)	520		440		560	
	Native contrast ratio	1200:1	5000:1		1200:1		6000:1
	Dynamic contrast ratio	400000:1		300000:1			400000:1
	Display resolution (H x V, pixels)	3840 x 2160					
	Dimming type	Frame Dimming					
	Display device	LCD					
	Backlight type	Direct LED					
Professional features	Aspect Ratio	16:9					
	Operating System	Android 10					
Display System	On-board Storage (GB)	16GB					
	TV System (Digital Terrestrial)	DVB-T/T2					
	TV System (Digital Cable)	DVB-C					
	TV System (Digital Sat)	DVB-S/S2					
	Number of Tuners (Terrestrial/Cable)	1(Digital/Analog)					
Network Features	Number of Tuners (Sat)	1					
	Wi-Fi Direct	Yes					
	Wi-Fi Certified	Yes					
	Apple AirPlay	Yes					
	Chromecast built-in	Yes					
	Internet Browser	Vewd					
	Codec for Home Network	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG					
Convenience features	Wireless LAN	Integrated					
	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/JPEG					
	HDMI-CEC	-					
	i-Manual	Yes					
	On Screen Clock	Yes					
	Sleep Timer	Yes					
	On/Off Timer	Yes					
Control specs	Display Language	AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUJ,HIN,HRV,HUN,IND,ISL,ITA,HEB,JPN,KAZ, KAN,KOR,KIR,LAO,LIT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE, SWA,TAM,TEL,THA,TGL, TUR,UKR,URO,LIZB,VI, zh_CN, zh_HK, zh_TW,ZUL					
	IP Control Pro mode	Yes (requires authentication)					
Inputs & Outputs	HDMI Signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p					
	HDCP	HDCP2.3(for HDMI1/2/3/4)					
	RF (Terrestrial/Cable) Connection Input(s)	1(Side)					
	IF (Satellite) Input(s)	1(Side)					
	Composite Video Input(s)	1(Side, Mini jack)					
	HDMI inputs total	4(4Side)					
	USB ports	2(Side)					
	Ethernet inputs	1(Side)					
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits)					
Audio specifications	PCMCIA Slot(s)	1(Top)					
	Speaker Position	Down Firing					
Video Specifications	Audio Power Output	10W + 10W					
	Wide Mode	Wide zoom/Normal/Full/Zoom/14:9					
	4:3 Default	Yes					
	Video Processing	4K X-Reality PRO					
Design Features	4K Processor	4K HDR Processor X1					
	HDR (High Dynamic Range) compatibility	Yes(HDR10,HLG,Dolby Vision)					
	Cable Management	Yes					
	Frame color	Black					
Eco & energy saving	Stand Design	Slim Blade stand					
	VESA® Hole Spacing Compatible	Yes					
	VESA® Hole Pitch(W x H)	20.0 x 20.0 cm		30.0 x 30.0 cm		40.0 x 40.0 cm	
Dimensions	Power Consumption (Rated)	118.0W	157.0W	207.0W	241.0W	308.0W	396.0W
	Power Consumption (in Standby)	0.50W					
	Mercury content(mg)	0.0					
Weights (Approx.)	Power Saving Mode / Back Light Off Mode	Yes					
	Display only (W x H x D)	Approx. 97.2 x 56.7 x 7.0 cm	Approx. 112.6 x 65.3 x 7.0 cm	Approx. 124.3 x 71.9 x 7.1 cm	Approx. 146.2 x 84.2 x 7.1 cm	Approx. 168.6 x 96.9 x 7.2 cm	Approx. 189.9 x 108.9 x 7.1 cm
Optional accessories	Display with Stand (W x H x D)	Approx. 97.2 x 63.2 x 28.6 cm	Approx. 112.6 x 71.8 x 28.6 cm	Approx. 124.3 x 78.7 x 33.8 cm	Approx. 146.2 x 91.2 x 33.8 cm	Approx. 168.6 x 104.5 x 41.0 cm	Approx. 189.9 x 117.6 x 45.6 cm
	Display only	Approx. 10 kg	Approx. 12.3 kg	Approx. 15.7 kg	Approx. 21.6 kg	Approx. 31.6 kg	Approx. 44.5 kg
Service and Warranty	Display with Stand	Approx. 10.5 kg	Approx. 12.9 kg	Approx. 16.6 kg	Approx. 22.5 kg	Approx. 32.9 kg	Approx. 46 kg
	Package Carton (Gross)	Approx. 14 kg	Approx. 17 kg	Approx. 23 kg	Approx. 31 kg	Approx. 49 kg	Approx. 60 kg
Standard Warranty	Wallmount Bracket	SU-WL450(Terminal access limitation, refer to SU-WL450 product page)		SU-WL450(Terminal access limitation, refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart)			
	2 years PrimeSupprt extension reference	PSP:FWD43X80J.2X	PSP:FWD50X80J.2X	PSP:FWD55X80J.2X	PSP:FWD65X80J.2X	PSP:FWD75X81J.2X	PSP:FWD85X85J.2X



Specifications		FWD-32W800	FWD-43W66F/T
Display features	Screen Size (inch, measured diagonally)	32" (31.5")	43" (42.5")
	Brightness (cd/m ²)	380	350
	Native contrast ratio	1200:1	1300:1
	Dynamic contrast ratio	1200:1	300000:1
	Display resolution (H x V, pixels)	1366x768	1920x1080
	Dimming type	Frame Dimming	
	Display device	LCD	
	Backlight type	Direct LED	
Aspect Ratio	16:9		
Operating System	Operating System	Android 10	Linux
	On-board Storage (GB)	8GB	4GB
Display System	TV System (Digital Terrestrial)	DVB-T/T2	
	TV System (Digital Cable)	DVB-C	
	TV System (Digital Sat)	DVB-S/S2	
	Number of Tuners (Terrestrial/Cable)	1(Digital/Analog)	
	Number of Tuners (Sat)	1	
Network Features	Wi-Fi Direct	-	Yes
	Wi-Fi Certified	Yes	
	Codec for Home Network	-	MPEG1/MPEG2TS/AVCHD/MP4/AVI/WMV/LPCM/MP3/WMA/JPEG
	Wireless LAN	Integrated	
Convenience features	USB playback codecs	VP9/H.265/MPEG1/MPEG2/MPEG4/DivX/XviD/Sorenson	MPEG1/MPEG2PS/MPEG2TS/AVCHD/MP4Part10/MP4Part2/AVI(XVID)/AVI(MotionJpeg)/WMV9/MKV/WEBM/WAV/MP3/WMA/JPEG
	HDMI-CEC	Yes	
	i-Manual	Yes	
	On Screen Clock	Yes	
	Sleep Timer	Yes	
	On/Off Timer	Yes	
	Display Language	ALB, MAY, BUL, CAT, DEU, HRV, CZE, DAN, DUT, ENG, EST, FIN, FRA, GLE, GLG, DRE, HEB, HUN, IND, ITA, KAZ, MAC, LAV, LIT, NOB, POL, POR, RON, VIE, RUS, SRP, SLK, SLV, SPA, SWE, THA, TUR, UKR, zh_CN, zh_TW, VIE	BUL, CAT, CZE, DAN, GER, GRE, ENG, SPA, EST, FIN, FRE, HEB, HRV, HUN, ITA, KAZ, LIT, LAV, DUT, NOR, POL, POR, RUM, RUS, SLO, SLV, SRP, SWE, TUR, UKR, BOS, MAC
Control specs	IP Control	-	Yes
	Pro mode	-	Yes (Basic)
Inputs & Outputs	HDMI Signal	1080p(30,50,60Hz), 1080/24p, 1080i(50,60Hz), 720p(50,60Hz), 576p, 576i, 480p, 480i	1080p(30,50,60Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 576i, 480p, 480i
	HDCP	HDCP1.4	
	RF (Terrestrial/Cable) Connection Input(s)	1(Bottom)	1(Side)
	IF (Satellite) Input(s)	-	1(Side)
	Composite Video Input(s)	-	1(Rear)
	HDMI inputs total	3(1Side,2bottom)	2(Side)
	USB ports	2(Side/bottom)	2(Side)
	Ethernet inputs	1(bottom)	1(Rear)
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1360x768(47.7kHz,60Hz)	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x720(44.8kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz)
PCMCIA Slot(s)	1(Side)	1(Top)	
Audio specifications	Speaker Position	Down Firing	
	Audio Power Output	5W + 5W	
Video Specifications	Wide Mode	Automatic, Full, Wide screen, Suprt Zoom, Unscaled, 4:3, Movie expand 14:9, Movie expand 16:9	Wide Zoom/Normal/Full/Zoom/14:9 Normal/Full1/Full2 for PC
	4:3 Default	-	Yes
	Video Processing	Yes	X-Reality PRO
	4K Processor	Bravia Engine	-
	HDR (High Dynamic Range) compatibility	Yes (HDR10, HLG)	Yes(HDR10, HLG) *1
Design Features	Cable Management	-	Yes
	Frame color	Black	
	Stand Design	Slim stand	Matt Black
	VESA® Hole Spacing Compatible	Yes	
Eco & energy saving	VESA® Hole Pitch(W x H)	20.0 x 20.0 cm	
	Power Consumption	Rated: 60W	Rated: 81W / Standard: 51.0W
	Power Consumption (in Standby)	0.50W	
	Mercury content(mg)	0.0	
Dimensions	Power Saving Mode / Back Light Off Mode	Yes	
	Display only (W x H x D)	Approx. 73.3 x 44.2 x 7.8 cm	Approx. 97.4 x 57.2 x 6.8(0.90) cm
	Display with Stand (W x H x D)	Approx. 73.3 x 46.8 x 18.9 cm	Approx. 97.4 x 62.8 x 26.8 cm
Weights (Approx.)	Display only	Approx. 4.9 Kg	Approx. 7.8 kg
	Display with Stand	Approx. 5.0 Kg	Approx. 8.2 kg
	Package Carton(Gross)	Approx. 7 kg	Approx. 12 kg
Optional accessories	Wallmount Bracket	SU-WL450(Terminal access limitation, refer to SU-WL450 product page)	SU-WL450(Terminal access limitation, refer to SU-WL450 product page)
Service and Warranty	Standard Warranty	3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible' everywhere	
	2 Years PrimeSupport extension reference	PSP.FWD32W800.2X	PSP.FW6G-43.2X



Specifications		FWD-43X80H/T	FWD-49X81H/T1	FWD-55X81H/T1	FWD-65X81H/T1	FWD-75X80H/T1	FWD-85X80H/T1
Display features	Screen Size (inch, measured diagonally)	43"(42.5")	49"(48.5")	55"(54.6")	65"(64.5")	75"(74.5")	85"(84.6")
	Brightness (cd/m ²)	440	430	610	560	500	560
	Native contrast ratio	1100:1		1200:1		4000:1	
	Dynamic contrast ratio	400000:1	390000:1	550000:1	500000:1	450000:1	500000:1
	Display resolution (H x V, pixels)	3840x2160					
	Dimming type	Frame Dimming					
	Display device	LCD					
Professional features	Backlight type	Edge LED	Direct LED				
	Aspect Ratio	16:9					
Professional features	Operating System	Android 9.0 Pie					
	On-board Storage (GB)	16GB					
Display System	TV System (Digital Terrestrial)	DVB-T/T2					
	TV System (Digital Cable)	DVB-C					
	TV System (Digital Sat)	DVB-S/S2					
	Number of Tuners (Terrestrial/Cable)	1(Digital/Analog)					
Network Features	Number of Tuners (Sat)	1					
	Wi-Fi Direct	Yes					
	Wi-Fi Certified	Yes					
	Apple AirPlay	Yes					
	Chromecast built-in	Yes					
	Internet Browser	Yes					
	Codec for Home Network	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/ JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)					
Convenience features	Wireless LAN	Integrated					
	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid,MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4,AVC/MP3/ASF(WMA)/LPCM/WAV/MP4AAC/FLAC/ JPEG,WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)					
	HDMI-CEC	Yes					
	i-Manual	Yes					
	On Screen Clock	Yes					
	Sleep Timer	Yes					
	On/Off Timer	Yes					
Control specs	Display Language	AFR,AMH,ARA,ASM,AZE,BEL,BUL,BEN,BOS,CAT,CZE,DAN,DEU,GRE,ENG,SPA,EST,BAQ,PER,FIN,FRA,GLG,GUI,HIN,HRV,HUN,IND,ISL,ITA,HEB,IPN,KAZ, KAN,KOR,KIR,LAO,LT,LAV,MAC,MAL,MON,MAR,MAY,BUR,NOB,NEP,NLD,ORI,PAN,POL,POR,RUM,RUS,SOL,SLV,ALB,SRP,SWE,SWA,TAM,TEL,THA,TGL, TUR,UKR,URD,UZB,VI,zh_CN,zh_HK,zh_TW,ZUL					
	IP Control	Yes					
Inputs & Outputs	Pro mode	Yes					
	HDMI Signal	4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p					
	HDCP	HDCP2.3(for HDMI1.2/3/4)					
	RF (Terrestrial/Cable) Connection Input(s)	1(Side)					
	IF (Satellite) Input(s)	1(Side)					
	Composite Video Input(s)	1(Bottom)		1(Side)		1(Side)	
	HDMI inputs total	4(3Side,1Bottom)		4(4Side)		4(4Side)	
	USB ports	2(Side)					
	Ethernet inputs	1(Bottom)		1(Side)			
	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz), 3840x2160p(30Hz), 3840x2160p(60Hz, 8bits)					
Audio specifications	PCMCIA Slot(s)	1(Top)					
	Speaker Position	Down Firing					
Video Specifications	Audio Power Output	10W + 10W					
	Wide Mode	Auto/Wide zoom/Normal/Full/Zoom/14:9,Normal/Full/Full2 for PC					
	4:3 Default	Yes					
	Video Processing	4K X-Reality PRO					
Design Features	4K Processor	4K HDR Processor X1					
	HDR (High Dynamic Range) compatibility	Yes(HDR10,HLG,Dolby Vision)					
	Cable Management	Yes					
	Frame color	Black					
	Stand Design	Metal Blade Stand					
Eco & energy saving	VESA® Hole Spacing Compatible	Yes					
	VESA® Hole Pitch(W x H)	10.0 x 20.0 cm	20.0 x 20.0 cm	30.0 x 30.0 cm			40.0 x 40.0 cm
Dimensions	Power Consumption (Rated)	xxx	120W	207W	250W	xxx	xxx
	Power Consumption (in Standby)	0.50W					
	Mercury content(mg)	0.0					
Weights (Approx.)	Power Saving Mode / Back Light Off Mode	Yes					
	Display only (W x H x D)	Approx. 97.0x57.0x5.7(1.30) cm	Approx. 110.1x64.5x5.7(1.30) cm	Approx. 124.3 x 71.8 x 7.1(1.6) cm	Approx. 146.2x84.1x7.1(1.6)cm	Approx. 168.6x96.9x7.2(1.5)cm	Approx. 189.9x108.9x7.1(1.6) cm
	Display with Stand (W x H x D)	Approx. 97.0x63.0x28.6 cm	Approx. 110.1x70.4x26.2 cm	Approx. 124.3 x 78.4 x 33.7 cm	Approx. 146.2x91.0x33.7 cm	Approx. 168.6x104.2x41.4 cm	Approx. 189.9x117.4x44.2 cm
Optional accessories	Display only	Approx. 9.4 kg	Approx. 11.6 kg	Approx. 16.0 kg	Approx. 21.7 kg	Approx. 31.8 kg	Approx. 44.1 kg
	Display with Stand	Approx. 9.8 kg	Approx. 12.1 kg	Approx. 16.6 kg	Approx. 22.3 kg	Approx. 32.9 kg	Approx. 45.6 kg
	Package Carton(Gross)	Approx. 14 kg	Approx. 17 kg	Approx. 22 kg	Approx. 30 kg	Approx. 43 kg	Approx. 59 kg
Service and Warranty	Wallmount Bracket	SU-WL450(Terminal access limitation, refer to SU-WL450 product page)		SU-WL450(Terminal access limitation, refer to SU-WL450 product page), SU-WL850(Refer to Country/Area Handling Chart)		SU-WL450(Terminal access limitation, refer to SU-WL450 product page)	
	Standard Warranty	3 Years with Repair or if necessary advanced exchange handled by local partner, on premise where possible					
	2 years PrimeSupport extension reference	PSP.FDWXH43.2X	PSP.FDWXH49.2X	PSP.FDWXH8055.2X	PSP.FDWXH8065.2X	PSP.FDWXH8075.2X	PSP.FDWXH85.2X

Impressive details

Accessories for BRAVIA 4K Professional Displays

Add extra impact to all your visual communications with accessories for BRAVIA 4K Professional Displays. Our touchscreen overlays, covers, totems and kiosks are designed for optimum performance in demanding presentation applications, from retail spaces, hotels, transport hubs and visitor attractions to universities and corporate environments.

Touchscreen overlays

Always in touch with your customers

Our easy-to-fit overlays transform BRAVIA 4K Professional Displays into an interactive touch-enabled screen – ideal for strengthening customer engagement, providing clear information to visitors and enabling more effective collaboration in corporate or education workspaces. There's a wide range of overlay options to suit all budgets and operational requirements.



IR Touch Overlays

- Hard-wearing and cost effective.
- Supports multi-touch with 10 touch points or more.*
- Stylish design with a black or white frame.**
- Rounded corners by default, square corners available upon request.

Ideal for

- Interactive signage in public areas.
- Boardrooms and meeting rooms.
- Teaching rooms and training suites.

* 16 or 40 touch point IR overlays can be made upon request.

** Additional colours and finishes available upon request.

Capacitive Touch Overlays

- Premium solution with sleek, attractive design.
- Highly sensitive, precise touch response.
- Resistant to sunlight – ideal for brightly lit environments.
- Compatible with BRAVIA BZ series, other models can be made upon request.

Ideal for

- Boardrooms and meeting rooms.
- Teaching rooms and training suites.

Interactive Stylus Pens

- Interactive pens compatible with all touch overlays.
- Ideal for whiteboarding, commenting on documents etc.
- Standard and advanced models available.
- Manufactured by Adonit.



Covers

Distinctive protection

BRAVIA 4K Professional Displays fit beautifully into any space with our stylish, easy to fit covers that provide lasting protection against daily wear and tear, dirt and finger marks. Customisable upon request in a range of bespoke colours, finishes and other cover options to match your brand and environment.

Front Covers

- Stylish frame.
- Protects against dirt and finger marks.
- Available in white or wood finish.*
- Compatible with: BRAVIA BZ series (other models can be made upon request); 10" and 22" TEOS Book tablet.

* Wood specifications differ slightly. Please visit the Pro.Sony website for exact sizing.



Totems, Kiosks & Trolleys

Giving you more in every environment

BRAVIA 4K Professional Displays are a focal point for your customers with our attractive range of totems and kiosks. There's also a choice of height-adjustable table stands and trolleys for moving safely between different locations whenever it's needed.

Kiosks

- Ideal for interactive helpdesks in retail and public spaces, reception areas, corporate and educational environments.
- Available to order with IR or capacitive touch overlays, or no touch as required.
- Capacitive Kiosks are also available in slim design.



Totems

- Ideal for signage displays in retail and public spaces, reception areas, corporate and educational environments.
- Available to order with IR or capacitive touch overlays, or no touch as required.
- Available in double sided versions.



Adjustable Height Trolleys & Table stands

- Ideal for educational and corporate environments where screens need to be adjusted or moved between rooms.
- Trolleys are available in 50cm or 70cm of vertical travel with a tilt adjustable stand.
- Table stands are available in 50cm vertical travel.



© 2021 Sony Corporation.

All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' is a registered trademark of Sony Corporation. All other trademarks are the property of their respective owners. Errors and omissions excepted.

Follow us on **LinkedIn**

SONY

Distributed by