PRODUCTION EXCELLENCE





P5 350 HSR

High speed 3.5 m roll to roll LED printing system.



For more information, please visit











P5 350 HSR/i

High speed 3.5 m roll to roll LED printing system.

Reliability

- > Precise media transport
- > Unattended printing for 24/7 production

P5 technology

- > Ricoh GEN5 printheads
- > LED Curing
- > Heavy duty design

Substrate dimension measurement

- > Automated media width and position measurement
- > Auto-setting
- > For single and dual roll

Easy media handling

- > Media tension equalization system
- > Easy media loading by 1 operator
- > Protection edge holders



Special ink effects




Durst Relief
(Hapt & gloss effect)

- > Multi-layer printing with color & white
- > Varnish with Extra Gloss
- > Haptic print & gloss effect combination

2 DURST P5 350 HSR

Retractable mesh printing system

- > Integrated motorized belt for perforated media and mesh printing
- > Fast media change
- > Auto-cleaning belt system



- > Double CMYK
- > Maximized productivity



Cutting system

- > Adjustable vertical slitters
- > Horizontal cutter
- > Continuous printing while cutting
- > Roll to sheet operation

Master roll

- > Roll diameter up to 635 mm
- > Single & dual roll
- > Weight up to 1,000 kg (2,205 lbs)
- > Size up to 3,470 mm (11.38 ft.)

Data Backprinter

- > Alphanumeric data printing
- > QR/Barcode printing
- > In combination with H-Cut

Multiroll

- > Dual Roll Option
- > Multiroll (Lower/Upper for Single)

VIRTUAL SHOWROOM

More details, live demo, print samples. showroom.durst-group.com/p5350hsr



DURST P5 350 HSR 3

CONFIGURATIONS & TECHNICAL DATA

P5 350 HSRi/D4

- > 2x CMYK
- > 10 color channels
- > Retractable mesh printing system
- > Protection Edge Holders
- > Substrate Dimension Measurement

Optional colors:

- > Light colors (c,m,k)
- > Spot colors (white, varnish)

Optional features:

- > Dual roll
- > Cutting system V-Cut (Slitters for vertical cutting) H-Cut (roller blade for horizontal cutting)
- > Data back printer in combination with H-Cut
- > Double sided printing registration

P5 350 HSR/D4

- > 2x CMYK
- > 10 color channels
- > Protection Edge Holders
- > Substrate Dimension Measurement

Optional colors:

- > Light colors (c,m,k)
- > Spot colors (white, varnish)

GENERAL TECHNICAL DATA

Max. productivity		up to 670 sqm/h (7.212 sqft/h)
Resolution	••••••	700x1.200 dpi; 900x1.200 dpi; 690x1.200 dpi (Mesh only)
Drop size	••••••	7 pl
Max roll width	Single	3.500 mm (137,8 in)
	Dual	1.625 mm (64 in)
Max. roll diameter		350 mm (13,8 in)
Max. roll weight	Single	280/260 kg with carbon axle/with aluminium axle
	Dual	280 kg

