

SLIDE PROJECTION / ACCESSORIES



**reflecta**<sup>®</sup>

 **BRAUN**<sup>®</sup>

**TECHNICAL DATA AND FEATURES**


- **reflecta Cubus 251 / 253 / 401**
- **BRAUN Paxilux 2501 / 2503 / 4001**

The ecoline model – sound, solid and excellent, value for money! We offer the solution for users who wish to stow their standard overhead projector in confined space. Here are all advantages of a standard overhead projector combined with the practical fold-down arm.

REFLECTA CUBUS	251	253	401	403
BRAUN PAXILUX	2501	2503	4001	4003
Working surface (mm)	285x285	285x285	285x285	285x285
Projection lens (mm)	1 lens f=285	3 lens f=320	1 lens f=285	3 lens f=320
Projection lamp	2x250W/24V	2x250W/24V	2x400W/36V	2x400W/36V
Projection angle	360° rotation and tilting angle up to 60° (all Models)			
Light output approx. Lumen	2.000	2.000	2.000	4.000
Quick lamp changer	+	+	+	+
Foldable arm	+	+	+	+
Overheating protection	+	+	+	+
Eco. Mode	+	+	+	+
Voltage	220/240V			
Frequency	50-60 Hz			
Dimensions (folded) (cm)	38x42x27			
Packing dimensions (cm)	54x45x35			
Net weight / Gross (kg)	10,9 / 12,2	11,3 / 12,6	11,7 / 13,4	2,2 / 13,9
<b>BRAUN ARTICLE NO.</b>	<b>11055</b>	<b>11056</b>	<b>11060</b>	
<b>ARTICLE NO.</b>	<b>27103</b>	<b>27104</b>	<b>27105</b>	<b>27106</b>

## Overhead Projectors

Our line of stationary Overhead Projectors is the solution to meet your need and budget. It gives a sharp image with high lumens. The safety features, the cooling system and the overheat protection put the life expectancy of the projectors to the maximum. If one lamp fails, the lamp changer feature makes sure your image is still being projected with the other lamp.



## reflecta

## PORTA

**TECHNICAL DATA AND FEATURES**

- **Porta 253**

The reasonably well priced all-rounder with folding mechanism, small and handy portable overhead projector, supplied with hard case, assembled/ dismantled in seconds, suited for daily use. Portable Overhead Projectors are designed to meet the needs of modern, mobile presenters. Features like easy set up and handling, silent cooling system and overheat protection make the projector to a reliable companion with a maximum of life expectancy.

PORTA 253	253
Projection lamp	250W – 24V
Lamp changer	+
Power supply	Electric transformer
Lamp saver/Economic switch	-
Projection lens (elements)	3-vario
Focal length (f=mm)	280-320
Picture width min-max.	90-425 cm
Projection Distance min-max.	120-450 cm
Condenser	+
Working surface	285 x 285 mm
Foldable post	+
Overheating protection	+
Light output (Lumen)	2.500
Dimensions (cm) LxWxH	48 x 31,5 x 52
Dimensions folded (cm)	8,5 x 32 x 13
Weight Net / Gross (kg)	7 / 8
<b>ARTICLE NO.</b>	<b>27202</b>

---

**reflecta® gmbh**

Merkurstrasse 8  
72184 Eutingen, Germany

Fon +49 (0) 74 57 / 94 65 60  
Fax +49 (0) 74 57 / 94 65 72

info@reflecta.de  
www.reflecta.de



Artikel-Nr. / Item No. 72204



---

**BRAUN® Photo Technik GmbH**

Merkurstrasse 8  
72184 Eutingen, Germany

Fon +49 (0) 74 57 / 94 65 60  
Fax +49 (0) 74 57 / 94 65 72

info@braun-phototechnik.de  
www.braun-phototechnik.de



Artikel-Nr. / Item No. 0094500268

Irrtümer und Änderungen im Sinne des technischen Fortschritts vorbehalten. Subject to change due technical progress.